

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

- 
- 1 Claim 1 (Original): An electrical test probe tip, comprising:
- 2 (a) a conductive flexible coil having a first end and a second end;
- 3 (b) said first end for coupling with a device to be probed; and
- 4 (c) a connector attached to said second end of said conductive flexible
- 5 coil.
- Bl 1 Claim 2 (Original): The electrical test probe tip of claim 1, said connector
- 2 being a connecting pin coupleable to a probing head.
- 1 Claim 3 (Original): The electrical test probe tip of claim 1, said connector
- 2 being a square pin coupleable to a probing head.
- 1 Claim 4 (Withdrawn):
- 1 Claim 5 (Original): The electrical test probe tip of claim 1, said flexible coil
- 2 having a longitudinal axis and a first diameter, said first diameter being substantially
- 3 equal throughout said longitudinal axis of said flexible coil.
- 1 Claim 6-12 (Withdrawn):
- 1 Claim 13 (Original): A multipurpose electrical test probe tip, comprising:
- 2 (a) a conductive flexible member;
- 3 (b) said flexible member having a first end and a second end;

4 (c) said flexible member being substantially hollow at said first end;  
5 and

6 (d) said first end of said conductive flexible member for flexibly  
7 coupling with a component to be probed.

1 Claim 14 (Original): The multipurpose electrical test probe tip of claim 13,  
2 wherein said second end of said conductive flexible member is interconnectable with a  
3 probing head.

1 Claim 15 (Withdrawn):

1 Claim 16 (Original): The multipurpose electrical test probe tip of claim 14,  
2 said second end of said conductive flexible member further comprising a connector  
3 coupleable with said probing head.

1 Claim 17 (Original): The multipurpose electrical test probe tip of claim 13,  
2 said flexible member having a longitudinal axis and a first diameter, said first diameter  
3 being substantially equal throughout said longitudinal axis of said flexible coil.

1 Claim 18-27 (Withdrawn):

1 Claim 28 (New): The electrical test probe tip of claim 1, said conductive  
2 flexible coil being substantially hollow at said first end.

1 Claim 29 (New): The electrical test probe tip of claim 1, said conductive  
2 flexible coil being substantially hollow.

1 Claim 30 (New): The electrical test probe tip of claim 1, said first end of  
2 said conductive flexible coil being suitable to receive a device to be probed therein.

1 Claim 31 (New): The electrical test probe tip of claim 1, wherein said first  
2 end of said conductive flexible coil at least partially surrounds a device to be probed.

1 Claim 32 (New): The multipurpose electrical test probe tip of claim 13,  
2 said conductive flexible member being substantially hollow.

1                    Claim 33 (New): The multipurpose electrical test probe tip of claim 13,  
2   said first end of said conductive flexible member being suitable to receive a component  
3   to be probed therein.

b1  
1                    Claim 34 (New): The multipurpose electrical test probe tip of claim 13,  
2   wherein said first end of said conductive flexible member at least partially surrounds a  
3   component to be probed.

---